

# **SAFETY DATA SHEET**

**Issuing Date** January 5, 2015 **Revision Date** New **Revision Number** 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Kingsford® Original Charcoal Briquets

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Fuel for cooking food outdoors

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

The Clorox Company 1221 Broadway Oakland, CA 94612

Phone: 1-510-271-7000

**Emergency telephone number** 

**Emergency Phone Numbers** For Medical Emergencies, call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 1A
Toxic to reproduction	Category 1B

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word Danger

#### Hazard Statements

May cause cancer (inhalation).

May damage fertility or the unborn child.



Appearance Square black briquet

Physical State Solid

Odor None

# **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear eye protection such as safety glasses.

Do not breathe dust.

# Precautionary Statements - Response

If exposed or concerned: Get medical advice.

#### **Precautionary Statements - Storage**

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents in accordance with all applicable federal, state, and local regulations.

#### Hazards not otherwise classified (HNOC)

**CARBON MONOXIDE HAZARD.** Burning charcoal inside without adequate ventilation can kill you. It gives off carbon monoxide, which has no odor. NEVER burn charcoal inside homes, vehicles, or tents.

# **Unknown Toxicity**

70 - 90% of the mixture consists of ingredients of unknown toxicity.

#### Other information

Never barbeque indoors. Never use gasoline to light charcoal. Do not add lighter fluid directly to burning or hot charcoal. Barbecue away from flammable items, overhangs, and trees. Make sure ashes are cold before discarding.

#### **Interactions with Other Chemicals**

Reacts with strong oxidizers to catch on fire.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Charcoal	16291-96-6	70 - 90	*
Limestone	1317-65-3	< 20	*
Wood dust, all soft and hard woods	RR-00514-1	< 10	*
Sodium tetraborate decahydrate	1303-96-4	0.1 - 0.9	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

Eye Contact Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

**Skin Contact** Wash skin with soap and water. If irritation persists, call a doctor.

**Inhalation** Move to fresh air. If breathing problems develop, call a doctor.

**Ingestion** Drink a glassful of water. Call a doctor or poison control center.

**Protection of First-aiders**Avoid contact with skin, eyes, and clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

Dust may cause eye irritation. Inhalation of dust may irritate nose and throat.

**Effects** 

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

None known.

#### **Specific Hazards Arising from the Chemical**

None known.

# **Explosion Data**

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes. Ensure adequate ventilation. Use personal protective

equipment as required.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental Precautions** See Section 12 for ecological Information.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further spillage if safe to do so.

Methods for Cleaning Up Remove heat and ignition sources. Vacuum sweep, if possible, to avoid generating

airborne dust. Wash residual to on-site treatment area, where appropriate. If treatment area is not available, wash down to sanitary sewer. Contact the sanitary treatment facility

in advance to assure ability to process washed-down material.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing.

Conditions for safe storage, including any incompatibilities

Storage Store locked up in a dry area away from open flames, heat sources, and other ignition

sources.

Incompatible Products Strong oxidizers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH
Charcoal 16291-96-6	TWA - 0.4 mg/m <sup>3</sup> (dust, respirable fraction) <sup>a</sup> <sup>a</sup> based on TWA for anthracite coal dust	None	None
Limestone 1317-65-3	None	TWA - 15 mg/m³ (total dust) TWA - 5 mg/m³ (respirable fraction)	TWA - 15 mg/m³ (total dust) TWA - 5 mg/m³ (respirable dust)
Wood dust, all soft and hard woods RR-00514-1	,		TWA - 1 mg/m <sup>3</sup>
STEL - 6 mg/m³ (inhalable fraction) <sup>b</sup> STEL - 2 mg/m³ (inhalable fraction) <sup>b</sup> (inhalable fraction) <sup>b</sup> bListed under borate compounds, inorganic		None	TWA - 1 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses.

**Skin and Body Protection** Wear rubber or neoprene gloves.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn. Respiratory protection must be provided in accordance with current local

regulations.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical State Solid

Appearance Square briquet Odor None

Color Black Odor Threshold No information available

**Property Values** Remarks/ Method Not applicable None known pН Melting/freezing point No data available None known Boiling point / boiling range No data available None known Flash Point Not applicable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air Upper flammability limit No data available None known Lower flammability limit No data available None known

Vapor pressure No data available None known Vapor density No data available None known **Bulk density** ~0.7 g/cm<sup>3</sup> None known Water Solubility Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Not explosive

No data available

Other Information

**Explosive Properties** 

**Oxidizing Properties** 

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data availableParticle Size DistributionNo data available

# 10. STABILITY AND REACTIVITY

#### Reactivity

Reacts with strong oxidizers to catch on fire.

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Flames, heat sources, and ignition sources.

#### **Incompatible materials**

Strong oxidizers.

# **Hazardous Decomposition Products**

None known.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information

**Inhalation** Inhalation may irritate respiratory tract.

**Eye Contact** Dust may cause temporary eye irritation.

**Skin Contact** Minor or no effects expected.

**Ingestion** Minor or no effects expected.

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium tetraborate decahydrate 1303-96-4	3.5 g/kg (Rat)	>10 g/kg (Rabbit)	-

# Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Inhalation of dust may irritate respiratory

tract.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	emical Name ACGIH IARC		NTP	OSHA	
Wood dust,					
all soft and hard woods		Group 1	Known	X	
RR-00514-1					

ACGIH: (American Conference of Governmental Industrial Hygienists)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP: (National Toxicology Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity Contains a known or suspected reproductive toxin (sodium tetraborate decahydrate).

STOT - single exposure No information available.

STOT - repeated exposure

No information available. **Chronic Toxicity** 

Contains a known or suspected carcinogen. Contains a known or suspected reproductive toxin. Possible risk of irreversible effects. Wood dust has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Studies have linked wood dust to nasal cancer in furniture industry workers. Woodworkers in the building industry (e.g. carpenters) do not appear to have this increased risk. Due to the product form and typical use conditions, significant dust exposures are

unlikely, and, therefore, the potential for any chronic effects is low.

**Target Organ Effects** Respiratory system, reproductive system, eyes.

**Aspiration Hazard** Not an aspiration hazard.

#### **Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

No information available.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

#### Persistence and Degradability

No information available.

#### Bioaccumulation

No information available.

#### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Reclaim, if possible; otherwise dispose of in accordance with all applicable federal, state, and local regulations.

#### **Contaminated Packaging**

Dispose of in accordance with all applicable federal, state, and local regulations.

# 14. TRANSPORT INFORMATION

**DOT** Not restricted per 49 CFR 172.101(c)(12)(iv).

TDG Not restricted per TDG regulations Part 146(c)(iii).

ICAO Carbon, not activated. Not restricted. Passes self-heating carbon test.

<u>IATA</u> Carbon, not activated. Not restricted. Passes self-heating carbon test.

IMDG/IMO Carbon, not activated. Not restricted. Passes self-heating carbon test.

# 15. REGULATORY INFORMATION

#### **Chemical Inventories**

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt

from listing.

**DSL/NDSL** All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardYesFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

#### **Clean Water Act**

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**California Proposition 65 Warning**: Combustion (burning) of this product, like other cooking methods, produces carbon monoxide and other substances known by the State of California to cause cancer, birth defects, or reproductive harm.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Limestone 1317-65-3		Х	X	Х	
Sodium tetraborate decahydrate 1303-96-4	Х	Х	Х		
Wood dust, all soft and hard woods RR-00514-1	Х				

# **International Regulations**

Canada WHMIS Hazard Class D2A - Very toxic material



# 16. OTHER INFORMATION

NFPA Health Hazard 0 Flammability 1 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 0\* Flammability 1 Physical Hazard 0 Personal Protection A

.\*Indicates a chronic health hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date New

Revision Note New

**Reference** 1015710/124431.001

# **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**